			6							7							8							9							10							11										
Student ID	2nd Semester Score	2nd Semester Grade	Unit 6: Conservation Laws							Unit 7: Electrostatics							Unit 8: Magnetism							Unit 9: Circuits							Unit 10: Optics							Unit 11: Waves & Sound							Diagnostic Score	Student ID	2nd Semester Score	2nd Semester Grade
			1	2	3	4	Floor	Score	Mark	1	2	3	4	Floor	Score	Mark	1	2	3	4	Floor	Score	Mark	1	2	3	4	Floor	Score	Mark	1	2	3	4	Floor	Score	Mark	1	2	3	4	Floor	Score	Mark				
114826	2.70	B	3.8	2.3	1.9	-	-	2.7	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114826	2.70	B
114932	3.60	A-	3.3	3.6	3.9	-	3.5	3.6	A-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114932	3.60	A-
114840	3.40	B+	3.3	3.7	3.3	-	3.0	3.4	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114840	3.40	B+
114881	1.90	C	3.5	1.2	0.9	-	-	1.9	C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114881	1.90	C
114858	3.50	A-	3.0	3.8	3.5	-	3.5	3.5	A-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114858	3.50	A-
114940	3.50	A-	3.0	3.7	3.6	-	3.5	3.5	A-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114940	3.50	A-
114768	3.00	B	1.8	3.4	3.4	-	3.0	3.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114768	3.00	B
114869	3.40	B+	3.8	3.1	3.4	-	3.0	3.4	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114869	3.40	B+
114773	2.60	B-	3.3	2.4	2.0	-	-	2.6	B-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114773	2.60	B-
114825	3.00	B	4.0	2.3	2.6	-	-	3.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114825	3.00	B
114897	3.10	B	3.5	2.5	3.4	-	3.0	3.1	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114897	3.10	B
114956	3.70	A	3.8	3.4	3.8	-	3.5	3.7	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114956	3.70	A
114778	3.50	A-	3.0	3.8	3.6	-	3.5	3.5	A-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114778	3.50	A-
114791	3.10	B	4.0	3.1	2.1	-	-	3.1	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114791	3.10	B
115024	3.40	B+	3.8	3.4	2.9	-	-	3.4	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115024	3.40	B+
114837	3.10	B	3.0	3.6	2.8	-	-	3.1	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114837	3.10	B
115003	3.80	A	4.0	3.7	3.6	-	3.5	3.8	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115003	3.80	A
114918	2.00	C	2.3	2.0	1.8	-	-	2.0	C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114918	2.00	C
115114	1.80	C	1.0	2.6	1.8	-	-	1.8	C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115114	1.80	C
114903	2.70	B	3.8	2.1	2.3	-	-	2.7	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114903	2.70	B
114975	3.00	B	4.0	2.3	2.8	-	-	3.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114975	3.00	B
114815	2.90	B	3.3	2.9	2.5	-	-	2.9	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114815	2.90	B
114803	3.10	B	4.0	2.3	3.1	-	3.0	3.1	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114803	3.10	B
114913	3.50	A-	3.5	3.3	3.5	-	3.5	3.5	A-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114913	3.50	A-
114844	3.00	B	3.5	2.1	3.1	-	3.0	3.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114844	3.00	B
114937	2.80	B	3.0	2.9	2.4	-	-	2.8	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114937	2.80	B
115056	3.60	A-	3.5	3.7	3.5	-	3.5	3.6	A-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115056	3.60	A-
115084	3.30	B+	3.3	3.4	3.3	-	3.0	3.3	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115084	3.30	B+
115089	3.20	B	2.8	3.3	3.4	-	3.0	3.2	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115089	3.20	B
115011	2.60	B-	2.5	3.1	2.2	-	-	2.6	B-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115011	2.60	B-
114954	3.20	B	3.5	3.6	2.5	-	-	3.2	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114954	3.20	B
115704	3.50	A-	4.0	3.0	3.5	-	3.5	3.5	A-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115704	3.50	A-
114812	2.80	B	2.5	3.0	2.9	-	-	2.8	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114812	2.80	B
114902	3.60	A-	4.0	3.8	3.0	-	3.0	3.6	A-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114902	3.60	A-
115013	2.70	B	3.3	2.5	2.3	-	-	2.7	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115013	2.70	B
114871	3.30	B+	3.0	3.5	3.3	-	3.0	3.3	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114871	3.30	B+
114795	3.70	A	4.0	3.7	3.4	-	3.0	3.7	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114795	3.70	A
115078	3.20	B	3.5	3.5	2.5	-	-	3.2	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115078	3.20	B
115102	3.40	B+	4.0	3.0	3.1	-	3.0	3.4	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115102	3.40	B+
114870	3.60	A-	4.0	3.5	3.4	-	3.0	3.6	A-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114870	3.60	A-
114893	2.60	B-	3.0	2.5	2.3	-	-	2.6	B-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114893	2.60	B-
114992	3.60	A-	4.0	3.7	3.1	-	3.0	3.6	A-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114992	3.60	A-
115113	2.40	C+	3.5	2.0	1.6	-	-	2.4	C+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115113	2.40	C+
117165	1.60	C-	0.8	1.5	2.5	-	-	1.6	C-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	117165	1.60	C-
114921	3.50	A-	4.0	3.1	3.3	-	3.0	3.5	A-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114921	3.50	A-
114816	3.80	A	3.8	4.0	3.6	-	3.5	3.8	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114816	3.80	A
115117	3.00	B	3.5	2.8	2.6	-	-	3.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115117	3.00	B
114894	3.20	B	3.5	2.8	3.3	-	3.0	3.2	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114894	3.20	B
114930	3.90	A	4.0	3.8	3.8	-	3.5	3.9	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114930	3.90	A
114857	2.90	B	3.5	2.5	2.6	-	-	2.9	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114857	2.90	B
115000	2.70	B	3.3	2.9	1.8	-	-	2.7	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115000	2.70	B
average	*3.11*	*B*	*3.3*	*3.0*	*2.9*	*3.1*	-	*3.1*	*B*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*average*	*3.1*	*B*

+ complete and on time

- pending but not late

/ complete but late

X missing and late

Student ID	Missing Assignments (X)	Pending Assignments (-)	Late Assignments (/)	Quiz 6.1 - Momentum & Impulse	Corrections for Quiz 6.1	Practice Exam - Conservation Laws	Quiz 6.2 - Conservation Laws	Corrections for Quiz 6.2	Quiz 6.3 - Gases	Corrections for Quiz 6.3	Lab - Buoyancy & Archimedes Principle	Care for Creation - Astronomy	Care for Creation - Geology	Care for Creation - Biology	Exam 6 - Conservation Laws & Fluids	Corrections for Exam 6	Final Exam - Conservation Laws & Fluids	Student ID
			Unit	6	6	6	6	6	6	6	6	6	6	6	6			
			Step	2	1	1	2	1	2	1	1	1	1	1	3			
114826	·	·	1	2.5	+	+	3.0	+	1.5	+	/	+	+	+	1.9			114826
114932	1	·	1	3.8	+	+	3.5	+	3.5	X	/	+	+	+	3.9			114932
114840	1	·	1	4.0	+	+	3.5	+	3.5	X	/	+	+	+	3.3			114840
114881	1	·	·	1.8	+	+	0.8	+	1.0	X	+	+	+	+	0.9			114881
114858	2	·	·	4.0	+	+	3.5	X			X	+	+	+	3.5			114858
114940	2	·	·	4.0	+	+	3.5	+	3.5	X	X	+	+	+	3.6			114940
114768	4	·	1	4.0	+	+	3.3	/	3.0	+	X	X	X	X	3.4			114768
114869	·	·	1	3.5	+	+	3.3	+	2.5	+	/	+	+	+	3.4			114869
114773	1	·	1	2.8	+	+	2.5	/	2.0	+	X	+	+	+	2.0			114773
114825	·	·	·	2.8	+	+	2.0	+	2.0	+	+	+	+	+	2.6			114825
114897	1	·	·	3.3	+	+	2.3	+	2.0	+	X	+	+	+	3.4			114897
114956	·	·	1	2.8	+	+	3.5	+	4.0	+	/	+	+	+	3.8			114956
114778	2	·	·	3.5	X	+	4.0	+			X	+	+	+	3.6			114778
114791	·	·	·	4.0	+	+	2.3	+	3.0	+	+	+	+	+	2.1			114791
115024	·	·	1	3.5	+	+	3.3	+	3.5	+	/	+	+	+	2.9			115024
114837	2	·	·	3.8	+	+	4.0	+	3.0	X	X	+	+	+	2.8			114837
115003	·	·	·	3.5	+	+	4.0	+	3.5	+	+	+	+	+	3.6			115003
114918	3	·	1	1.8	X	/	1.8	X	2.5	+	X	+	+	+	1.8			114918
115114	6	·	·	2.8	X	+	2.3	X			X	X	X	X	1.8			115114
114903	·	·	1	2.0	+	+	1.8	+	2.5	+	/	+	+	+	2.3			114903
114975	·	·	·	3.0	+	+	1.8	+	2.0	+	+	+	+	+	2.8			114975
114815	1	·	1	2.8	+	+	3.5	+	2.5	X	/	+	+	+	2.5			114815
114803	·	·	·	2.0	+	+	3.5	+	1.5	+	+	+	+	+	3.1			114803
114913	1	·	·	3.5	+	+	3.5	+	3.0	+	X	+	+	+	3.5			114913
114844	1	·	·	2.3	+	+	1.5	+	2.5	+	X	+	+	+	3.1			114844
114937	2	·	·	4.0	+	+	2.8	+	2.0	X	X	+	+	+	2.4			114937
115056	1	·	·	3.5	+	+	4.0	+	3.5	+	X	+	+	+	3.5			115056
115084	1	·	1	4.0	+	/	2.8	X			+	+	+	+	3.3			115084
115089	2	·	1	3.5	/	+	4.0	+	2.5	X	+	+	+	X	3.4			115089
115011	3	·	·	3.3	+	+	3.5	+	2.5	X	+	+	X	X	2.2			115011
114954	1	·	·	3.8	+	+	3.3	X			+	+	+	+	2.5			114954
115704	·	·	·	3.8	+	+	3.3	+	2.0	+	+	+	+	+	3.5			115704
114812	3	·	·	3.3	X	+	3.3	X	2.5	X	+	+	+	+	2.9			114812
114902	·	·	·	4.0	+	+	3.3	+	4.0	+	+	+	+	+	3.0			114902
115013	1	·	1	2.5	+	+	3.5	+	1.5	X	/	+	+	+	2.3			115013
114871	2	·	·	3.5	X	+	4.0	+	3.0	X	+	+	+	+	3.3			114871
114795	·	·	·	3.5	+	+	4.0	+	3.5	+	+	+	+	+	3.4			114795
115078	1	·	·	4.0	+	+	3.0	X			+	+	+	+	2.5			115078
115102	·	·	·	3.0	+	+	3.5	+	2.5	+	+	+	+	+	3.1			115102
114870	·	·	·	3.5	+	+	4.0	+	3.0	+	+	+	+	+	3.4			114870
114893	2	·	·	2.5	+	+	3.5	X	1.5	X	+	+	+	+	2.3			114893
114992	·	·	·	3.3	+	+	4.0	+			+	+	+	+	3.1			114992
115113	1	·	·	2.5	+	+	2.5	+	1.0	X	+	+	+	+	1.6			115113
117165	6	·	1	1.5	X	/	2.5	X	0.5	X	+	X	X	X	2.5			117165
114921	·	·	·	4.0	+	+	2.8	+	2.5	+	+	+	+	+	3.3			114921
114816	·	·	1	4.0	+	+	4.0	+			/	+	+	+	3.6			114816
115117	1	·	·	2.8	+	+	3.0	+	2.5	X	+	+	+	+	2.6			115117
114894	1	·	·	3.5	+	+	3.5	+	1.5	X	+	+	+	+	3.3			114894
114930	·	·	·	4.0	+	+	3.3	+	4.0	+	+	+	+	+	3.8			114930
114857	1	·	·	2.5	X	+	3.5	+	1.5	+	+	+	+	+	2.6			114857
115000	1	·	1	3.0	+	/	2.8	X			+	+	+	+	1.8			115000
average	-	-	-	*3.2*	-	-	*3.1*	-	*2.5*	-	-	-	-	-	*2.9*	-	-	*average*