




1. The final Space Shuttle flight is coming soon, marking the end of one era in space travel and – hopefully – the beginning of another¹. A typical Space Shuttle orbit is at an altitude of about 300 km above the Earth (this isn't *that* high up – the diameter of the Earth is 12,756 km). At that height, the acceleration due to gravity is slightly (5%) less than on the surface of the Earth: 9.36 m/s^2 instead of 9.81 m/s^2 . In order to maintain such a low orbit, the Space Shuttle must cruise with a speed of about 7725 m/s. The orbiter's mass varies depending on what it is carrying, but is typically around 80,000 kg.



- a. Calculate the kinetic energy, gravitational potential energy, and total mechanical energy of the Space Shuttle in flight.
- b. When the Space Shuttle lands and rolls to a halt, its total mechanical energy is zero. What happened to the energy you calculated in part (a)? Was it lost? Destroyed? Explain.

¹ http://www.nasa.gov/mission_pages/shuttle/shuttlemissions/index.html

2. The cannon below fires heavy (5 kg) cannonballs. Each time the cannon is fired, the explosion within the cannon's chamber gives the cannonball 2,000 J of kinetic energy. For this problem please use $g = 10 \text{ m/s}^2$ to make the calculations easier. Drawing is not to scale.



- a. What is the speed of the cannonball when it exits the cannon?
- b. If the cannon was pointed directly upward, how high up would the cannonball go (measured with respect to the opening of the cannon)?
- c. The cannonball hits an evil giraffe in the head. The giraffe's head is at a height of 13 m above the ground. At what speed does the cannonball hit the giraffe? Include in your answer a schematic (*i.e.*, not numerically precise) energy bar graph of the type we have drawn in class.